

SAFETY DATA SHEET

1. Identification

Product identifier Glisten Washing Machine Cleaner & Freshener

Other means of identification Not available.

Recommended use Freshener and Cleaner

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Iron Out dba Summit Brands

Address 6714 Pointe Inverness Way, Suite 200

Fort Wayne, IN 46804-7935

United States

Telephone260-483-2519E-mailNot available.

Emergency phone number 1-800-424-9300 (CHEMTREC)

Supplier See above.

2. Hazard identification

Physical hazards Not classified.

Health hazardsSerious eye damage/eye irritationCategory 2Sensitization, skinCategory 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazards Not classified.

WHMIS 2015 defined hazards Not classified

Label elements

Signal word Warning

Hazard statement Causes serious eye irritation.

May cause an allergic skin reaction. May cause respiratory irritation.

Precautionary statement

Prevention Avoid breathing dust. Wash thoroughly after handling. Contaminated work clothing should not be

allowed out of the workplace. Wear protective gloves and eye protection. Use only outdoors or in

a well-ventilated area.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical attention. Specific treatment (see information on this

label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor if you feel unwell.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

None known

None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

None known.

Hazard(s) not otherwise classified (HNOC)

#31744 Page: 1 of 8 Issue date 11-July-2023

3. Composition/Information on ingredients

Mixture			
Chemical name	Common name and synonyms	CAS number	%
Benzoic acid, phenylmethyl ester		120-51-4	0.1-1*
Citric Acid		77-92-9	30-60*
Oils, orange, sweet		8008-57-9	0.1-1*
Polyethylene glycol		25322-68-3	3-7*
Sodium carbonate		497-19-8	7-13*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade

secret in accordance with paragraph (i) of §1910.1200.

CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

4.	Fir	'St-	aid	me	เลรเ	ıres

Inhalation

If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Skin contact

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this

label)

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Most important symptoms/effects, acute and delayed

/ision.

May cause an allergic skin reaction. Dermatitis. Rash. Dusts may irritate the respiratory tract, skin and eyes.

Indication of immediate medical attention and special treatment needed

Symptoms may be delayed. Provide general supportive measures and treat symptomatically.

General information

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wash contaminated clothing before reuse. Wear impervious gloves and chemical splash goggles. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Dry chemical powder. Carbon dioxide. Water Fog.

None known.

Specific hazards arising from the chemical

Firefighters should wear a self-contained breathing apparatus.

Special protective equipment and precautions for firefighters

Firefighters should wear full protective clothing including self-contained breathing apparatus.

In the event of fire, cool tanks with water spray. Cool containers with flooding quantities of water

Fire-fighting

until well after fire is out.

equipment/instructions
Specific methods

Cool containers exposed to flames with water until well after the fire is out.

General fire hazards

No unusual fire or explosion hazards noted.

Hazardous combustion products

May include and are not limited to: Oxides of carbon. Oxides of sulfur.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Minimize dust generation and accumulation. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Use only with adequate ventilation. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate personal protective equipment. Wash thoroughly after handling. Observe good industrial hygiene practices. Do not get in eyes, on skin or on clothing. Use good industrial hygiene practices in handling this material. Keep container tightly closed. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight. Store in a closed container away from incompatible materials. Keep only in the original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	
Polyethylene glycol (CAS 25322-68-3)	TWA	10 mg/m3	

Biological limit values

controls

Appropriate engineering

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear appropriate eye protection.

Not applicable.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Confirm with a reputable supplier first.

Other Wear appropriate chemical resistant clothing. As required by employer code.

Respiratory protection Where exposure gu

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CANICSA 704.4 and ANSI's standard for respiratory protection (789.2).

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. When using do not eat or drink.

9. Physical and chemical properties

Appearance	Solid.
Physical state	Solid.
Form	Tablet.
Color	Peach.
Odor	Spring rain
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Specific gravity	Not available.
Flash point	Not available.
Evaporation rate	Not available.

Spring rain
Not available.
Not available.
Not available.
Not available.

#31744 Page: 3 of 8 Issue date 11-July-2023

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)Not available.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Pour point Not available.

Explosive properties Not explosive
Oxidizing properties Not oxidizing.

10. Stability and reactivity

Reactivity Reacts vigorously with alkaline material or metals. This product may react with reducing agents.

Do not mix with other chemicals.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Stable under recommended storage conditions.

Conditions to avoidDo not mix with other chemicals.

Incompatible materials Not corrosive to steel or non-clad aluminum based on test data for similar product. Strong oxidizing

agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of sulfur.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

toxicological characteristics May cause an allergic skin reaction. Dermatitis. Rash.

Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity See below.

Components Species Test Results

Benzoic acid, phenylmethyl ester (CAS 120-51-4)

Acute

Dermal

LD50 Rabbit > 2 ml/kg, 4 Hours, ECHA

Inhalation

LC50 Not available

Oral

LD50 Rat > 2000 mg/kg, ECHA

Species Test Results Components Citric Acid (CAS 77-92-9) Acute Dermal LD50 Rat > 2000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available Oral LD50 Mouse 5400 mg/kg, ECHA 11700 mg/kg, ECHA Rat Oils, orange, sweet (CAS 8008-57-9) Acute Dermal LD50 Rat > 5000 mg/kg, ECHA Inhalation LC50 Not available Oral LD50 Rat > 5000 mg/kg, ECHA Polyethylene glycol (CAS 25322-68-3) **Acute** Dermal LD50 Rat > 2000 mg/kg, 24 Hours, ECHA Inhalation LC50 Not available Oral LD50 Rat > 2000 mg/kg, ECHA Sodium carbonate (CAS 497-19-8) **Acute** Dermal LD50 Rabbit > 2000 mg/kg, ECHA Inhalation LC50 Rat 2300 mg/m3, 2 Hours, ECHA Oral LD50 Rat 2800 mg/kg, ECHA, HSDB Skin corrosion/irritation Not available. Not available. **Exposure minutes** Not available. Erythema value Not available. Oedema value Serious eye damage/eye Causes serious eye irritation. irritation Corneal opacity value Not available. Iris lesion value Not available. Conjunctival reddening Not available. value Not available. Conjunctival oedema value Not available. Recover days Respiratory or skin sensitization Respiratory sensitization Not a respiratory sensitizer. Skin sensitization May cause an allergic skin reaction. Mutagenicity Non-hazardous by WHMIS/OSHA criteria. Non-hazardous by WHMIS/OSHA criteria. Carcinogenicity OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not listed.

Non-hazardous by WHMIS/OSHA criteria.

Reproductive toxicity

Teratogenicity Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity See below

Ecotoxicological data

Components **Species Test Results**

Citric Acid (CAS 77-92-9)

Acute

EC50 Crustacea Daphnia magna 120 mg/L, 72 hr

Aquatic

Acute

Fish LC50 Bluegill (Lepomis macrochirus) 1516 mg/L, 96 hr

Polyethylene glycol (CAS 25322-68-3)

Aquatic

Fish LC50 Atlantic salmon (Salmo salar) > 1000 mg/L, 96 hours

Sodium carbonate (CAS 497-19-8)

Crustacea EC50 Daphnia 265 mg/L, 48 Hours

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 156.6 - 298.9 mg/L, 48 hours

Fish LC50 Bluegill (Lepomis macrochirus) 300 mg/L, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available. Mobility in general Not available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

contains all the

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Canadian federal regulations

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous Yes

chemical

Classified hazard Acute toxicity (any route of exposure)
categories Serious eye damage or eye irritation

Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - Minnesota Haz Subs: Listed substance

Polyethylene glycol (CAS 25322-68-3) Listed.

US - Texas Effects Screening Levels: Listed substance

Benzoic acid, phenylmethyl ester (CAS 120-51-4)
Citric Acid (CAS 77-92-9)
Cils, orange, sweet (CAS 8008-57-9)
Polyethylene glycol (CAS 25322-68-3)
Sodium carbonate (CAS 497-19-8)
Listed.
Listed.
Listed.

US. California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.


Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information


LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0



Disclaimer

Issue date

2 **HEALTH** * 0 **FLAMMABILITY** 0 PHYSICAL HAZARD PERSONAL X PROTECTION



The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

11-July-2023

Version #

Effective date 28-June-2023

Prepared by Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.